artikel 4

by Sodikin Sodikin

Submission date: 04-Sep-2019 02:57PM (UTC+0700)

Submission ID: 1167044109 File name: Artikel_4.doc (237K)

Word count: 2682

Character count: 14511

THE USE OF MODIFIED EMOTICON SYMBOLS FOR THE DESIGNS OF TRAFFIC WARNING SIGNS

Sodikin^{1,2*}, Ahmad Munawar³, Bagus H. Setiadji⁴

¹Student of Civil Engineering Doctoral Program, Diponegoro University, Semarang, Indonesia

²Department of Civil Engineering, Veteran Bangun Nusantara University, Sukoharjo, Indonesia

³Department of Civil Engineering, Gadjah Mada University, Yogyakarta, Indonesia

⁴Department of Civil Engineering, Diponegoro University, Semarang, Indonesia

*E-mail address: sodikinusman@yahoo.com

Abstract: Human error has been distinguished as the cause of traffic accident. It is influenced by a number of factors coming from the drivers who have no safety awareness, including distraction, fatigue and behavior. There needs the designs of traffic warning signs regarding to the drivers' behavior in order to communicate the inappropriate things which they must avoid. There are four types of sample designs are derived from the symbols emoticon modifications made as a trial to represent symbols that describe the warning signs of aggressive driver, the driver upset, distract the driver and driver fatigue which have been tested for the respondent. Those four samples tested design for respondents who selected to give a statement technique uses self report of a likert scale, particularly the summated rating scale, regarding to the comprehension, conspicuity, learnability and relevance toward the signs. They stated that those designs are quite easy to understand, enough to attract attention, quite easy to remember and sometimes regards to what they had ever undergone. The use of emoticon symbols in the traffic system would become an innovative breakthrough in communicating the instructional information and warning toward the drivers, particularly those who often experience as what these symbols convey.

Key words: human error, emoticon symbol, warning sign

1. Introduction

The traffic accidents are 93% commonly caused by the human error, which is 57% of the drivers behaviour, 26% of the insufficient road safety, 6% of the vehicle trouble and 4% of insufficient both road and vehicle factors¹. The human error is commonly caused by 3 cases, consisting of the distraction, fatigue and behaviour.

Distraction is caused by using of cell-phone while driving²⁻⁵, talking to passengers⁶, making up or reading a map⁴ and others. Fatigue is caused by exhaustion which regards to the

energy deficiency, physical incapability, less motivation and drowsiness^{7,8}. Behaviour of the driver which does not regard to the driving saftey is caused by the lack of driving experiences^{9,10}, emotion¹¹ or the aggressiveness¹², the tendency of making deviation¹³ and being drunk¹⁴.

Emoticon is actually the acronym of emotional icon. Emoticon is used as the relational icons to express the mood or emotion or to give the sign toward the intention of joking. Some popular emoticons include smiling, blinking, getting angry and frowning. Emoticon is the visualization formed by common flipped typographic symbols as the representation of emotion. It is created as the compensation from the disability in delivering voice message, mimic, or gesture in the written communication. Therefore, it facilitates the combination of both written message and face to face interaction describing what is being symbolized by the writer toward the readers¹⁵.

Emoticon based on ASCII is supposed firstly used in cyberspace by a scientist, named Scott Fahlman in 1982. The origin of emoticon began when he used the symbol ":)" to show that a sentence which he sent meant as a joke and opposed to the symbol ":", since it is used to show the communicator's emotion. If the unit of linguistic tends to shift toward the use of graphic emoticon globally, then we will be able to design a universal visualization as the extra language of communication using computer and mobile devices. Since the people can understand the simple visualization, thus the international communication will run easier and be able to overcome any obstacle of language differentiation ¹⁶.

The aim of this research to know the opinion of the driver against the design of new traffic signs that use modified emoticon symbols, then conducted a study of four design samples tested to the drivers. There are many design signs that can be made by modification of the emoticon symbols, but in this study only limit on four types sample of design warning signs where two sample designs to alert the driver about driving behavior that does not give priority to traffic safety, one sample design to give warning to drivers to always concentrate on the traffic by not using mobile phones and one sample design to give a warning against driving in a state of fatigue and sleepy.

2. Designs Description

Specification and description for Figure 1 design A is an aggressive driver, depicted by the vertical wrinkle on the forehead with one aspect of lip is lower than other, oblique position and unstable way of driving. This implies that the driver is in a high enthusiasm and tends to be careless, supposing able to do anything without considering others' safety. This

kind of drivers tends to provoke others, do a zig-zag or have no concern for the safety space and tends to break the traffic. Design B is an anger driver, depicted by the drawn eyebrows, closed mouth, wrathful and morose expression, upright position and psychological stress represented in his way of driving. This kind of drivers tends to be intolerant, egoistic and cruel in judging others using risky steps. Design C is a distract driver, depicted by the closed mouth with a big smile for being in pleasure, upright position in his way of driving, but focus in talking to a certain person by cell-phone. This kind of drivers tends to have no awareness or simply careless to other vehicles and traffic, since they do not realize that this kind of action can be dangerous either for them or others. Design D is a fatigue driver, depicted by the closing eyes and flat mouth, upright position in his way of driving but physically incapable and has no awareness for the danger that he probably cause either toward himself or others.



Figure 1. Traffic warning signs design

3. Methodology

The participants involved in this research belong to 50 students who have owned driving license, including 35 male and 15 female students by the age interval between 19 and 23 years old. Scrutinizing the respondents' notions toward 4 designs of traffic warning signs of the modified emoticon symbols uses self report technique of likert scale.

A principle basic to Likert scale measurement methodology is that scores yielded by a Likert scale are composite (summated) scores derived from an individual's responses to the multiple items on the level scale of comprehension, conspicuity, learnability and relevance toward the signs of aggressive driver, anger driver, distract driver and fatigue driver.

The respondents' notions for the comprehension toward the traffic warning signs of aggressive driver, anger driver, distract driver, and fatigue driver is classified into 5 kinds of scoring, in which 5 means as "it is easy to understand", 4 means as "quite easy to understand", 3 means as "be easily understood", 2 means as "less easy to understand" and 1 means as "very not easy to understand". The respondents' notions for the conspicuity toward the traffic warning signs of aggressive driver, anger driver, distract driver, and fatigue driver is classified into 5 kinds of scoring, in which 5 means as "very interesting", 4 means as "enough to attract attention", 3 means as "to attract attention", 2 means as "less draw attention" and I means as "very inconspicuous". The respondents' notions for the learnability toward the traffic warning signs of aggressive driver, anger driver, distract driver, and fatigue driver is classified into 5 kinds of scoring, in which 5 means as "it's easy to remember", 4 means as "quite easy to remember", 3 means as "to make it easier to remember", 2 means as "less easy to remember", and 1 means as "difficult to remember". The respondents' notions for the relevance toward the traffic warning signs of aggressive driver, anger driver, distract driver, and fatigue driver, is classified into 5 kinds of scoring, in which 5 means as "very often", 4 means as "often enough", 3 means as "somewhat frequently", 2 means as "sometimes", and 1 means as "never".

Stated of the driver respondents data that have been obtained are tested by reliability value of Cronbach Alpha and the analyzed of likert scale describe by descriptive statistic.

Table 1 shows the results of the analysis.

4. Results

Reliability describes the accuracy of measurement. The reliability of a test score is frequently described as the dependability, consistency, or stability of the score produced by a particular instrument, which in this case is a summated total score or a summated subscale

score derived from a likert-type scale. Reliability statistics for 16 variables gotten from 4 kinds of tested designs show the value of Cronbach Alpha equals to 0.872. This means that the values from every variable stated as reliable.

Table 1. Descriptive statistic

6 Z	Valid	Gender 50	Comprehension for Design A	Conspicuity for Design A	Learnability for Design A	Relevance for Design A	Comprehension for Design B	Conspicuity for Design B	Learnability for Design B	Relevance for Design B
N	Missing	0	0	0	0	0	0	0	0	0
1	Mean	1.30	4.00	3.86	4.28	2.12	4.10	3.94	4.26	2.00
Median		1.00	4.00	4.00	4.00	2.00	4.00	4.00	4.00	2.00
Mode		1	4	4	4	2	4	4	5	2

4	Valid	Gender Gender	Comprehension for Design C	Conspicuity for Design C	Learnability for Design C	Relevance for Design C	Comprehension for Design D	Conspicuity for Design D	Learnability for Design D	Relevance for Design D
N	Missing	0	0	0	0	0	0	0	0	0
Mean		1.30	3.80	3.84	3.92	2.14	3.70	3.68	3.60	2.00
Median		1.00	4.00	4.00	4.00	2.00	4.00	4.00	4.00	2.00
Mode		1	4	4	4	2	4	4	4	2

Table 1 states the result from 4 kinds of traffic warning signs of modified emoticon symbols to repondents. The median resulted shows the comprehension toward aggressive driver equals to 4.00 (quite easy to understand), anger driver equals to 4.00 (quite easy to understand) and fatigue driver equals to 4.00 (quite easy to understand). The conspicuity toward aggressive driver equals to 4.00 (enough to attract attention), anger driver equals to 4.00 (enough to attract attention), distract driver equals to 4.00 (enough to attract attention) and fatigue driver equals to 4.00 (enough to attract attention). The learnability toward aggressive driver equals to 4.00 (quite easy to

remember), anger driver equals to 4.00 (quite easy to remember), distract driver equals to 4.00 (quite easy to remember) and fatigue driver equals 4.00 (quite easy to remember). The relevance toward the sign of aggressive driver equals to 2.00 (sometimes), anger driver equals to 2.00 (sometimes), distract driver equals to 2.00 (sometimes) and fatigue driver equals to 2.00 (sometimes). This means that 4 traffic warning signs of the modified emoticon are proper to use for their benefits.

5. Discussion

The proper designs of traffic warning signs come from the drivers' notions toward the meaning represented by the sign itself¹⁷⁻²², interest of the drivers or conspicuity^{23,19,24}, simplicity to remember or learnability, correlation toward the drivers' experiences or relevance.

The statistical data derived from the respondents' notions show that 4 traffic warning signs has the median score equals to 4 from the total score 5 toward the comprehension, conspicuity and learnability. This shows that drivers commonly state that emoticon traffic warning signs depicting aggressive driver, anger driver, distract driver and fatigue driver are quite easy to understand for the comprehension, enough to attract attention for the conspicuity and quite easy to remember for the learnability. The emoticon traffic warning signs show the score 2 from the total score 5. It means that the conditions represented in the designs of aggressive driver, anger driver, distract driver and fatigue driver are sometimes experienced by the drivers.

6. Conclusion

The using of pictorial symbols from the modified emotion in the traffic system can be an innovative breakthrough in communicating the instructional information to the drivers, particularly those who experience the message represented by the symbols. The use of emotion symbols in the designs of traffic warning signs can be understood broadly, mainly by those who are illiterate or problematic in linguistic.

References

 PIARC (Permanent International Association of Road Congresses), 2003, Road Safety Manual, World Road Association, Paris.

- Tison, J., Chaudhary, N., and Cosgrove, L., 2011, National phone survey on distracted driving attitudes and behaviors, Report No. DOT HS 811 555, National Highway Traffic Safety Administration, Washington, DC.
- Lesch, M.F. and Hancock, P.A., 2004, Driving performance during concurrent cellphone use: are drivers aware of their performance decrements?, Accident Analysis and Prevention 36, pp:471-480.
- Patel, J., Ball D.J., and Jones Huw, 2008, Factors influencing subjective ranking of driver distractions, Accident Analysis and Prevention 40, pp 392–395.
- Hancock, P.A., Lesch, M., and Simmons, L., 2003, The distraction effects of phone use during a crucial driving maneuver, Accident Analysis and Prevention 35, pp:501–514.
- McEvoy, S.P., Stevenson, M.R., and Woodward, M., 2007, The prevalence of, and factors associated with, serious crashes involving a distracting activity, Accident Analysis and Prevention 39, pp 475–482.
- Ahsberg, E., Gamberale, F., and Kjellberg, A., 1997, Perceived quality of fatigue during different occupational tasks development of a questionnaire, International Journal of Industrial Ergonomics 20, Elsevier Science B.V, pp 121-135.
- Radun, I., and Radun J.E, 2009, Convicted of fatiqued driving: who, why and how, Accident Analisys and Prevention, Elsevier, pp 869 – 875.
- Heck, K.E., and Carlos, R.M., 2006, Adolescents and driving: factors influencing behavior, monograph, Spring 2006, Center for Youth Development, University of California.
- Tseng Chien-Ming, 2012, Social-demographics, driving experience and yearly driving distance in relation to a tour bus driver's at-fault accident risk, Tourism Management 33, Elsevier Ltd, pp 910-915.
- Summala Heikki, 2005, Traffic psychology theories: towards undertanding driving behaviour and safety efforts, Traffic and Transport Psychology, G. Underwood (Editor) 383, Elsevier Ltd.
- 12. Ma Yan H. and Abdel-Aty, November 2009, Occupational driver safety of public transportation: risk perception, attitudes, and driving behavior, presentation at the 89th TRB Annual Meeting and Publication in Journal of the Transportation Research Board.
- Hassen, A., Ameyu, G., Lakew, A., and Eshetu, G., 2011, Risky driving behaviors for road traffic accident among drivers in Mekele city, Northern Ethiopia, BMC Research Notes, 4:535, http://www.biomedcentral.com/1756-0500/4/535.

- Tay Richard, 2005, Mass media campaigns reduce the incidence of drinking and driving, Evidence-Based Healthcare & Public Health 9, Elsevier Ltd., pp 26–29.
- Rezabek, L. L., and Cochenour, J. J. (1998), Visual cues in computer-mediated communication: Supplementing text with emoticons. Journal of Visual Literacy, 18, pp. 201-215.
- Azuma Junichi and Ebner Martin, 2008, A Stylistic Analysis of Graphic Emoticons: Can
 they be Candidates for a Universal Visual Language of the Future?, Proceeding of World
 Conference on Educational Media, Hypermedia and Telecommunications (ED-Media),
 2008, pp. 972-977.
- Garvey, P.M., Pietrucha M.T., and Meeker D., 1997, Effects of font and capitalization on legibility of guide signs. Transportation Research Record 1605, TRB, National Research Council, Washington, DC, 1997, pp. 73-79.
- Swanson, H.A., Kline DW., and Dewar R.E., 1997, Guidelines for Traffic Sign Symbols, ITE Journal, May 1997, pp 30-35.
- Lesch, M.F., 2003, Comprehension and memory for warning symbols: Age-related differences and impact of training, Journal of Safety Research 34, pp 495-505.
- Al-Kaisy, A, 2006, Static warning signs for occasional hazards: a synthesis of research and practice, Western Transportation Institute Montana State University Bozeman, Montana.
- 21. Razzak, A. and Hasan T., 2010, Motorist understanding of traffic signs: a study in Dhaka city, Journal of Civil Engineering (IEB), 38 (1), pp 17-29.
- Wogalter, M.S., Kalsher, M.J., Frederick, L.J., Magurno, A.B., and Brewster., 1998,
 Hazard level perceptions of warning components and configuration, International Journal of Cognitive Ergonomics, 2(1-2), pp 123-143.
- Dewar, R., Kline, D., Scheiber, F., and Swanson A., 1997 Symbol signing design for older drivers, Publication No. FHWA-RD-94-069, Federal Highway Administration, U.S. Department of Transportation.
- Koppa, 2010, Human Factors Chapter 3, Publications Research Operations, www.fhwa.dot.gov., 2010-12-06.

artikel 4

ORIGINALITY REPORT

SIMILARITY INDEX

8%

INTERNET SOURCES

2%

PUBLICATIONS

76%

STUDENT PAPERS

PRIMARY SOURCES

Submitted to Universitas Diponegoro

Student Paper

www.jae-online.org

Internet Source

Submitted to University of Northumbria at Newcastle

Student Paper

www.scribd.com

Internet Source

medwelljournals.com 5

Internet Source

etheses.uin-malang.ac.id

Internet Source

Submitted to Curtin University of Technology

Student Paper

Pande, Anurag, and Brian Wolshon. "Road Users", Traffic Engineering Handbook, 2016.

Publication

Exclude quotes

Off

Exclude matches

Off

Exclude bibliography

On